



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

February 11, 2021

Cynthis Holmes
Capital Region BOCES
900 Watervliet Shaker Road
Albany, NY 12205

Work Order No: 210205016

TEL: (518) 786-3243

RE:

Albany CTE

Dear Cynthis Holmes:

Adirondack Environmental Services, Inc received 57 samples on 2/5/2021 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read "Chris Hess".

Christopher Hess
QA Manager

ELAP#: 10709

Capital Region BOCES

Date: 11-Feb-21

Albany CTE

Lab WorkOrder: 210205016

The sampling was performed in accordance with the AES field sampling procedures and/or the client specified sampling procedures. Sample containers were supplied by Adirondack Environmental Services.

Definitions - RL: Reporting Limit DF: Dilution factor

Qualifiers: ND : Not Detected at reporting limit	C: CCV below acceptable Limits
J: Analyte detected below quantitation limit	C+: CCV above acceptable Limits
B: Analyte detected in Blank	S: LCS Spike recovery is below acceptable limits
X : Exceeds maximum contamination limit	S+: LCS Spike recovery is above acceptable limits
H: Hold time exceeded	Z: Duplication outside acceptable limits
N: Matrix Spike below acceptable limits	T : Tentatively Identified Compound-Estimated
N+: Matrix Spike is above acceptable limits	E :Above quantitation range-Estimated

Note : All Results are reported as wet weight unless noted

The results relate only to the items tested. Information supplied by the client is assumed to be correct.

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES

LabWork Order: 210205016

Project: Albany CTE

PO#:

Lab SampleID: 210205016-001

Collection Date: 2/3/2021

Client Sample ID: 001

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	2.0	1.0		µg/L	1	2/10/2021 6:16:00 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-002

Collection Date: 2/3/2021

Client Sample ID: 002

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	5.6	1.0		µg/L	1	2/10/2021 6:34:42 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-003

Collection Date: 2/3/2021

Client Sample ID: 003

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	ND	1.0		µg/L	1	2/10/2021 6:38:28 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 210205016-004

Collection Date: 2/3/2021

Client Sample ID: 004

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	9.1	1.0		µg/L	1	2/10/2021 6:42:15 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-005

Collection Date: 2/3/2021

Client Sample ID: 005

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	19.8	1.0	X	µg/L	1	2/10/2021 6:45:57 PM
------	------	-----	---	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES

LabWork Order: 210205016

Project: Albany CTE

PO#:

Lab SampleID: 210205016-006

Collection Date: 2/3/2021

Client Sample ID: 006

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	23.4	1.0	X	µg/L	1	2/10/2021 6:49:39 PM
------	------	-----	---	------	---	----------------------

Lab SampleID: 210205016-007

Collection Date: 2/3/2021

Client Sample ID: 007

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	24.8	1.0	X	µg/L	1	2/10/2021 6:53:22 PM
------	------	-----	---	------	---	----------------------

Lab SampleID: 210205016-008

Collection Date: 2/3/2021

Client Sample ID: 008

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	8.4	1.0		µg/L	1	2/10/2021 6:57:05 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-009

Collection Date: 2/3/2021

Client Sample ID: 009

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	3.1	1.0		µg/L	1	2/10/2021 7:00:48 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-010

Collection Date: 2/3/2021

Client Sample ID: 010

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	3.2	1.0		µg/L	1	2/10/2021 7:04:31 PM
------	-----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES
Project: Albany CTE

LabWork Order: 210205016
PO#:

Lab SampleID: 210205016-011 **Collection Date:** 2/3/2021
Client Sample ID: 011 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: SM
 (Prep: - 2/5/2021)

Lead	ND	1.0		µg/L	1	2/10/2021 7:08:15 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 210205016-012 **Collection Date:** 2/3/2021
Client Sample ID: 012 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: SM
 (Prep: - 2/5/2021)

Lead	ND	1.0		µg/L	1	2/10/2021 7:26:55 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 210205016-013 **Collection Date:** 2/3/2021
Client Sample ID: 013 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Observation	Out of Service			NA		2/3/2021
-------------	----------------	--	--	----	--	----------

Lab SampleID: 210205016-014 **Collection Date:** 2/3/2021
Client Sample ID: 014 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: SM
 (Prep: - 2/5/2021)

Lead	3.3	1.0		µg/L	1	2/10/2021 7:30:40 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-015 **Collection Date:** 2/3/2021
Client Sample ID: 015 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE Analyst: FLD

Observation	Out of Service			NA		2/3/2021
-------------	----------------	--	--	----	--	----------

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES

LabWork Order: 210205016

Project: Albany CTE

PO#:

Lab SampleID: 210205016-016

Collection Date: 2/3/2021

Client Sample ID: 016

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	6.3	1.0		µg/L	1	2/10/2021 7:34:25 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-017

Collection Date: 2/3/2021

Client Sample ID: 017

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	6.7	1.0		µg/L	1	2/10/2021 7:38:08 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-018

Collection Date: 2/3/2021

Client Sample ID: 018

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	17.0	1.0	X	µg/L	1	2/10/2021 7:41:50 PM
------	------	-----	---	------	---	----------------------

Lab SampleID: 210205016-019

Collection Date: 2/3/2021

Client Sample ID: 019

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		2/3/2021
-------------	----------------	--	--	----	--	----------

Lab SampleID: 210205016-020

Collection Date: 2/3/2021

Client Sample ID: 020

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	ND	1.0		µg/L	1	2/10/2021 7:45:33 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES

LabWork Order: 210205016

Project:

PO#:

Albany CTE

Lab SampleID: 210205016-021

Collection Date: 2/3/2021

Client Sample ID: 021

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	2.0	1.0		µg/L	1	2/10/2021 8:04:09 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-022

Collection Date: 2/3/2021

Client Sample ID: 022

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	22.2	1.0	X	µg/L	1	2/10/2021 8:07:53 PM
------	------	-----	---	------	---	----------------------

Lab SampleID: 210205016-023

Collection Date: 2/3/2021

Client Sample ID: 023

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	1.8	1.0		µg/L	1	2/10/2021 8:11:37 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-024

Collection Date: 2/3/2021

Client Sample ID: 024

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	2.4	1.0		µg/L	1	2/10/2021 8:15:21 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-025

Collection Date: 2/3/2021

Client Sample ID: 025

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	2.9	1.0		µg/L	1	2/10/2021 8:26:36 PM
------	-----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES

LabWork Order: 210205016

Project: Albany CTE

PO#:

Lab SampleID: 210205016-026

Collection Date: 2/3/2021

Client Sample ID: 026

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	1.7	1.0		µg/L	1	2/10/2021 8:30:19 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-027

Collection Date: 2/3/2021

Client Sample ID: 027

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	8.3	1.0		µg/L	1	2/10/2021 8:34:01 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-028

Collection Date: 2/3/2021

Client Sample ID: 028

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		2/3/2021
-------------	----------------	--	--	----	--	----------

Lab SampleID: 210205016-029

Collection Date: 2/3/2021

Client Sample ID: 029

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	2.3	1.0		µg/L	1	2/10/2021 8:37:44 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-030

Collection Date: 2/3/2021

Client Sample ID: 030

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	71.7	1.0	X	µg/L	1	2/10/2021 8:48:54 PM
------	------	-----	---	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES

LabWork Order: 210205016

Project:

Albany CTE

PO#:

Lab SampleID: 210205016-031

Collection Date: 2/3/2021

Client Sample ID: 031

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	5.2	1.0		µg/L	1	2/10/2021 8:52:37 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-032

Collection Date: 2/3/2021

Client Sample ID: 032

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	20.1	1.0	X	µg/L	1	2/10/2021 8:56:20 PM
------	------	-----	---	------	---	----------------------

Lab SampleID: 210205016-033

Collection Date: 2/3/2021

Client Sample ID: 033

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	8.2	1.0		µg/L	1	2/10/2021 9:00:04 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-034

Collection Date: 2/3/2021

Client Sample ID: 034

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	7.9	1.0		µg/L	1	2/10/2021 9:03:48 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-035

Collection Date: 2/3/2021

Client Sample ID: 035

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	5.5	1.0		µg/L	1	2/10/2021 9:07:32 PM
------	-----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES

LabWork Order: 210205016

Project: Albany CTE

PO#:

Lab SampleID: 210205016-036

Collection Date: 2/3/2021

Client Sample ID: 036

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	ND	1.0		µg/L	1	2/10/2021 9:18:47 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 210205016-037

Collection Date: 2/3/2021

Client Sample ID: 037

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	24.1	1.0	X	µg/L	1	2/10/2021 9:22:30 PM
------	------	-----	---	------	---	----------------------

Lab SampleID: 210205016-038

Collection Date: 2/3/2021

Client Sample ID: 038

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	8.7	1.0		µg/L	1	2/10/2021 9:33:40 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-039

Collection Date: 2/3/2021

Client Sample ID: 039

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	10.2	1.0		µg/L	1	2/10/2021 9:37:23 PM
------	------	-----	--	------	---	----------------------

Lab SampleID: 210205016-040

Collection Date: 2/3/2021

Client Sample ID: 040

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	8.4	1.0		µg/L	1	2/10/2021 9:41:06 PM
------	-----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES

LabWork Order: 210205016

Project: Albany CTE

PO#:

Lab SampleID: 210205016-041

Collection Date: 2/3/2021

Client Sample ID: 041

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	5.0	1.0		µg/L	1	2/10/2021 9:52:17 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-042

Collection Date: 2/3/2021

Client Sample ID: 042

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	5.3	1.0		µg/L	1	2/10/2021 9:56:01 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-043

Collection Date: 2/3/2021

Client Sample ID: 043

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	4.5	1.0		µg/L	1	2/10/2021 9:59:45 PM
------	-----	-----	--	------	---	----------------------

Lab SampleID: 210205016-044

Collection Date: 2/3/2021

Client Sample ID: 044

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	1.9	1.0		µg/L	1	2/10/2021 10:03:30 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 210205016-045

Collection Date: 2/3/2021

Client Sample ID: 045

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	44.7	1.0	X	µg/L	1	2/10/2021 10:07:15 PM
------	------	-----	---	------	---	-----------------------

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES

LabWork Order: 210205016

Project: Albany CTE

PO#:

Lab SampleID: 210205016-046

Collection Date: 2/3/2021

Client Sample ID: 046

Matrix: DRINKING WATER

Analyses **Result** **RL** **Qual** **Units** **DF** **Date Analyzed**

ICP/MS - EPA 200.8 REV 5.4

Analyst: **SM**

(**Prep:** - 2/5/2021)

Lead **15.9** 1.0 X µg/L 1 2/10/2021 10:25:54 PM

Lab SampleID: 210205016-047

Collection Date: 2/3/2021

Client Sample ID: 047

Matrix: DRINKING WATER

Analyses **Result** **RL** **Qual** **Units** **DF** **Date Analyzed**

ICP/MS - EPA 200.8 REV 5.4

Analyst: **SM**

(**Prep:** - 2/5/2021)

Lead **3.5** 1.0 µg/L 1 2/10/2021 10:29:38 PM

Lab SampleID: 210205016-048

Collection Date: 2/3/2021

Client Sample ID: 048

Matrix: DRINKING WATER

Analyses **Result** **RL** **Qual** **Units** **DF** **Date Analyzed**

ICP/MS - EPA 200.8 REV 5.4

Analyst: **SM**

(**Prep:** - 2/5/2021)

Lead **2.0** 1.0 µg/L 1 2/10/2021 10:33:21 PM

Lab SampleID: 210205016-049

Collection Date: 2/3/2021

Client Sample ID: 049

Matrix: DRINKING WATER

Analyses **Result** **RL** **Qual** **Units** **DF** **Date Analyzed**

ICP/MS - EPA 200.8 REV 5.4

Analyst: **SM**

(**Prep:** - 2/5/2021)

Lead **3.0** 1.0 µg/L 1 2/10/2021 10:37:05 PM

Lab SampleID: 210205016-050

Collection Date: 2/3/2021

Client Sample ID: 050

Matrix: DRINKING WATER

Analyses **Result** **RL** **Qual** **Units** **DF** **Date Analyzed**

ICP/MS - EPA 200.8 REV 5.4

Analyst: **SM**

(**Prep:** - 2/5/2021)

Lead **9.4** 1.0 µg/L 1 2/10/2021 10:40:49 PM

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES**LabWork Order:** 210205016**Project:**
Albany CTE**PO#:****Lab SampleID:** 210205016-051**Collection Date:** 2/3/2021**Client Sample ID:** 051**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	16.4	1.0	X	µg/L	1	2/10/2021 10:44:33 PM
------	------	-----	---	------	---	-----------------------

Lab SampleID: 210205016-052**Collection Date:** 2/3/2021**Client Sample ID:** 052**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	12.1	1.0		µg/L	1	2/10/2021 10:48:17 PM
------	------	-----	--	------	---	-----------------------

Lab SampleID: 210205016-053**Collection Date:** 2/3/2021**Client Sample ID:** 053**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		2/3/2021
-------------	----------------	--	--	----	--	----------

Lab SampleID: 210205016-054**Collection Date:** 2/3/2021**Client Sample ID:** 054**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	7.0	1.0		µg/L	1	2/10/2021 10:52:01 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 210205016-055**Collection Date:** 2/3/2021**Client Sample ID:** 055**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	5.2	1.0		µg/L	1	2/10/2021 11:03:13 PM
------	-----	-----	--	------	---	-----------------------

Adirondack Environmental Services, Inc

Date: 11-Feb-21

CLIENT: Capital Region BOCES

LabWork Order: 210205016

Project:
Albany CTE

PO#:

Lab SampleID: 210205016-056

Collection Date: 2/3/2021

Client Sample ID: 056

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/5/2021)

Lead	1.2	1.0		µg/L	1	2/10/2021 11:06:58 PM
------	-----	-----	--	------	---	-----------------------

Lab SampleID: 210205016-057

Collection Date: 2/3/2021

Client Sample ID: 057

Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Observation	Out of Service			NA		2/3/2021
-------------	----------------	--	--	----	--	----------



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#: 210205016

COC Reference: 1378

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Capital Region Boces		Address:							
Send Report to: Tom.Mott@neric.org		Project Name (Location): Albany CTE			Samplers Name: <i>Ryan Bayley</i>				
Client Phone #:		Client PO #:			Samplers Signature: <i>[Signature]</i>				
Client Email:									
AES Sample Number	Client Sample Identification & Location	Date	Time	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
001	F3 Drinking Fountain	2/3/21	0635	PW		X	1	0	Lead
002	F3 Bath Sink 1		0630	PW		X	1	0	Lead
003	F3 Bath Sink 2		0630	PW		X	1	0	Lead
004	F4 Bath Sink 1		0630	PW		X	1	0	Lead
005	F4 Bath Sink 2		0630	PW		X	1	0	Lead
006	F5 Drinking Fountain		0627	PW		X	1	0	Lead
007	B5 Drink Fountain		0511	PW		X	1	0	Lead
008	E3 Bath Sink		0619	PW		X	1	0	Lead
009	E Hall Bath Sink		0620	PW		X	1	0	Lead
010	D1 Bath Sink		0606	PW		X	1	0	Lead
011	D5 Drink Fountain		0608	PW		X	1	0	Lead
012	D6 Drink Fountain		0607	PW		X	1	0	Lead
013	C1W Drink Fountain		0555	PW		X	10	0	Lead out of service
014	C3 Bath Sink		0559	PW		X	1	0	Lead
015	C3 Drink Fountain		0559	PW		X	10	0	Lead out of service
016	C4 Bath Sink		0600	PW		X	1	0	Lead

Shipment Arrived Via: FedEx UPS Client (AES) Other: _____

Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day Standard

NOTE: Samples received after 3:30pm are considered next business day.

PLEASE FILL ALL PINK SHADED AREAS

Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received for Laboratory by:	Date	Time
	<i>[Signature]</i>	2/5/21	0900am

Sample Temperature Ambient Notes: Ice preservation not required	Properly Preserved: (Y/N) 0=None 5=NH ₄ Cl 1=H ₂ SO ₄ pH<2 6=Ascorbic Acid 2=HNO ₃ pH<2 7=FAS 3=HCl pH<2 8=ZnAc/NaOH pH>9 4=Na ₂ S ₂ O ₃ 9=NaOH 10=Other	Received Within Holding Times: (Y/N) Notes:
Bottles AES: (Y/N)		



210205016



314 North Pearl Street
 Albany, NY 12207
 518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

CHAIN OF CUSTODY RECORD

AES Work Order#: 210205016

COC Reference: 1378

A full service analytical research laboratory offering solutions to environmental concerns

Capital Region Boces		Address:	
Send Report to: Tom.Mott@neric.org		Project Name (Location): Albany CTE	Samplers Name: <i>Ryan Bailey</i>
Client Phone #:		Client PO #:	Samplers Signature: <i>[Signature]</i>
Client Email:			

AES Sample Number	Client Sample Identification & Location	Date	Time	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
017	C5 Bath Sink	2/3/21	0602	PW		X	1	0	Lead
018	C5 Drink Fountain		0602	PW		X	1	0	Lead
019	C6 Drink Fountain		0600	PW		X	10	0	Lead out of Service
020	C7 Bath Sink		0558	PW		X	1	0	Lead
021	C8 Bath sink		0556	PW		X	1	0	Lead
022	C Hall H/C Bath Sink		0555	PW		X	1	0	Lead
023	B1 Bath Sink		0518	PW		X	1	0	Lead
024	B2 Bath Sink		0516	PW		X	1	0	Lead
025	B8 Bath Sink Left		0509	PW		X	1	0	Lead
026	B8 Bath Sink Right		0509	PW		X	1	0	Lead
027	B9 Bath Sink		0505	PW		X	1	0	Lead
028	B3 Drinking Fountain		0515	PW		X	10	0	Lead out of Service
029	B3 Bath Sink		0515	PW		X	1	0	Lead
030	B7 Bath Sink 1		0553	PW		X	1	0	Lead
031	B7 Bath Sink 2		0553	PW		X	1	0	Lead
032	A8H Womens Bath Sink 1		0527	PW		X	1	0	Lead

Shipment Arrived Via: FedEx UPS Client <input checked="" type="checkbox"/> AES Other:		Special Instructions/Remarks:	
Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day Standard		PLEASE FILL ALL PINK SHADED AREAS	

Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received for Laboratory by:	Date	Time
	<i>[Signature]</i>	2/5/21	900 am

Sample Temperature Ambient Notes: Ice preservation not required	Properly Preserved: (Y / N) 0=None 5=NH ₄ Cl 1=H ₂ SO ₄ pH<2 6=Ascorbic Acid 2=HNO ₃ pH<2 7=FAS 3=HCl pH<2 8=ZnAc/NaOH pH>9 4=Na ₂ S ₂ O ₃ 9=NaOH pH>10 10=Other	Received Within Holding Times: (Y / N) Notes:
Bottles AES: (Y / N)		



314 North Pearl Street
 Albany, NY 12207
 518-434-4546 / FAX: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#: 210205016

COC Reference: 1378

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Capital Region Boces		Address:	
Send Report to: Tom.Mott@neric.org		Project Name (Location): Albany CTE	Samplers Name: <i>Ryan Baisley</i>
Client Phone #:		Client PO #:	Samplers Signature: <i>[Signature]</i>
Client Email:			

AES Sample Number	Client Sample Identification & Location	Date	Time	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
033	A8H Womens Bath Sink 2	2/3/21	0527	PW		X	1	0	Lead
034	A8H Mens Bath Sink 1		0527	PW		X	1	0	Lead
035	A8H Mens Bath Sink 2		0527	PW		X	1	0	Lead
036	A9H Kitchen		0505	PW		X	1	0	Lead
037	A10H Bath Sink 1		0530	PW		X	1	0	Lead
038	A10H Bath sink 2		0530	PW		X	1	0	Lead
039	A10 Bath Sink 3		0531	PW		X	1	0	Lead
040	A10 Bath Sink 4		0531	PW		X	1	0	Lead
041	A11 mens Bath Sink 1		0535	PW		X	1	0	Lead
042	B Small Hall Bath 1		0521	PW		X	1	0	Lead
043	B Small Hall Bath 2		0521	PW		X	1	0	Lead
044	A4 Bath Sink Womens		0543	PW		X	1	0	Lead
045	A6 Bath sink 1		0545	PW		X	1	0	Lead
046	A6 Bath sink 2		0545	PW		X	1	0	Lead
047	A7A Bath Sink		0548	PW		X	1	0	Lead
048	A7B Bath Sink	V	0548	PW		X	1	0	Lead

Shipment Arrived Via: FedEx UPS Client <input checked="" type="radio"/> AES Other:		Special Instructions/Remarks:	
Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day Standard			
NOTE: Samples received after 3:30pm are considered next business day.			

PLEASE FILL ALL PINK SHADED AREAS			
Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received for Laboratory by:	Date	Time

Sample Temperature Ambient Notes: Ice preservation not required	Properly Preserved: Y / N 0=None 1=H ₂ SO ₄ pH<2 2=HNO ₃ pH<2 3=HCl pH<2 4=Na ₂ S ₂ O ₃ 5=NH ₄ Cl 6=Ascorbic Acid 7=FAS 8=ZnAc/NaOH pH>9 9=NaOH pH>10 10=Other	Received Within Holding Times: Y / N Notes:
Bottles AES: Y / N		



314 North Pearl Street
 Albany, NY 12207
 518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

CHAIN OF CUSTODY RECORD

AES Work Order#: 210205016

COC Reference: 1378

A full service analytical research laboratory offering solutions to environmental concerns

Capital Region Boces		Address:							
Send Report to: Tom.Mott@neric.org		Project Name (Location): Albany CTE			Samplers Name: <i>Ryan Baisley</i>				
Client Phone #:		Client PO #:			Samplers Signature: <i>[Signature]</i>				
Client Email:									
AES Sample Number	Client Sample Identification & Location	Date	Time	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
049	A7C Bath Sink	2/3/21	0549	PW		X	1	0	Lead
050	A11 Womens Bath Sink		0535	PW		X	1	0	Lead
051	A13 Bath Sink		0538	PW		X	1	0	Lead
052	A13 Drink Fountain		0538	PW		X	1	0	Lead
053	A14 Drinking Fountain		0539	PW		X	10	0	Lead out of service
054	A14 Bath Sink		0539	PW		X	1	0	Lead
055	A Small Hall Bath 1		0538	PW		X	1	0	Lead
056	A Small Hall Bath 2		0538	PW		X	1	0	Lead
057	A Small Hall Drink Fountain		0538	PW		X	10	0	Lead out of service
058									
059									
060									
061									
062									
063									
064									

Shipment Arrived Via:
 FedEx UPS Client (AES) Other:

Special Instructions/Remarks:

Turnaround Time Requested:
 1 Day 2 Day 3 Day 5 Day Standard

NOTE: Samples received after 3:30pm are considered next business day.

PLEASE FILL ALL PINK SHADED AREAS

Relinquished by: (Signature)

Received by: (Signature)

Date Time

Relinquished by: (Signature)

Received by: (Signature)

Date Time

Relinquished by: (Signature)

Received for Laboratory by:
[Signature]

Date Time
2/5/21 903am

Sample Temperature
 Ambient
 Notes: Ice preservation not required
 Bottles AES: (Y) / N

Properly Preserved: (Y) N
 0=None 5=NH₄Cl
 1=H₂SO₄ pH<2 6=Ascorbic Acid
 2=HNO₃ pH<2 7=FAS
 3=HCl pH<2 8=ZnAc/NaOH pH>9
 4=Na₂S₂O₃ 9=NaOH pH>10
 10=Other

Received Within Holding Times: (Y) / N
 Notes:



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.